

(19)

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

**EP 0 968 980 A2**

(12)

**EUROPEAN PATENT APPLICATION**

(43) Date of publication:

05.01.2000 Bulletin 2000/01

(21) Application number: 99112549.3

(22) Date of filing: 01.07.1999

(51) Int. Cl.<sup>7</sup>: **C05C 9/02**, C05B 15/00,

C05F 1/00, C05G 3/08,

C05G 3/02, C05F 11/00,

C05F 11/08

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE**

Designated Extension States:

**AL LT LV MK RO SI**

(30) Priority: 02.07.1998 IT MI981521

(71) Applicant: **Agroqualita S.r.l.**  
20123 Milano (IT)

(72) Inventors:

- Miele, Sergio  
56123 Pisa (IT)
- Bargiacchi, Enrica  
56124 Pisa (IT)

(74) Representative:

**Vatti, Paolo, Dr. Ing. et al**  
**Fumero-Studio Consulenza Brevetti**  
**Franz-Joseph-Strasse 38**  
**80801 München (DE)**

(54) **Microgranular fertiliser composition for local application during sowing or transplanting**

(57) Fertilizer composition in granule form for local application during sowing or transplanting, of the type comprising organic nitrogen and phosphate or phospho-nitrogen compounds as well as, if necessary, other fertilizer compounds or adjuvants, in which the diameter of the granules is between 0.1 and 1.5 mm.

Preferably, in said composition, the diameter of the granules is between 0.5 and 1 mm.

## Description

[0001] For some time now it has been a widespread practice to distribute fertilizers during sowing or transplanting of various agricultural crops in order to provide young plants with nutritional substances during a delicate and important stage of their growth. This distribution may be performed either along the sowing or transplanting row or in more or less wide bands along these rows and may be carried out using both conventional granular fertilizers and liquid or fluid fertilizers.

[0002] Local manuring during sowing and transplanting has numerous advantages such as a better absorption of the nutritional substances present in sowing or transplanting beds which are essentially moist and at relatively low temperatures: the possibility of distributing smaller total quantities of fertilizers, because applied locally, therefore resulting in lower costs and a reduced risk of environmental pollution; the improved growth of the root system of the plants owing to specific and localized manuring; the reduced competition of weeds which, during sowing or transplanting, generally are not yet fully developed also because they are often controlled using suitable weed-killers.

[0003] Localized manuring during sowing or transplanting has, however, a few drawbacks of a technical nature which cannot be easily solved and which may be summarised as follows:

- a) Slowing down of the sowing or transplanting operations due to the need to replenish the corresponding equipment with fertilizer which is applied in relatively large doses (100-150 kg/ha), said slowing down generally not being acceptable for agricultural concerns or contractors who must take advantage of well-defined periods during a season which is often subject to risk on account of the seasonal trends and rainfall;
- b) Increased weight of the sowing or transplanting machines due to the additional weight of the said quantity of fertilizers. This increase in weight causes overloading of the sowing machines and the transplanting equipment, with serious drawbacks for the sowing or transplanting beds, in particular at the end of winter or on clayey ground and slopes, when it becomes difficult - if not impossible - to apply locally the fertilizers at the right depth and in the optimum quantities, with various irregular doses which adversely affect the simultaneous and uniform growth of the plant crops;
- c) In the case where liquid or fluid fertilizers are used, the problem of correct dosing of small quantities thereof, which is sometimes accompanied by blockages of the nozzles, in particular when operating at low temperatures, with a consequent increase in the viscosity of the products;
- d) The difficulty also, for certain crops, of locally applying some types of nitrogenous fertilizers (for example those with a high ammonia nitrogen content) which could result in the risk of plant poisoning;
- e) Finally, the possibility that the deficiency of certain micro-elements (such as zinc) may become more pronounced due to antagonism (for example if phosphorus alone is applied locally).

[0004] It has now been unexpectedly discovered that it is possible to prepare a fertilizer composition for use during sowing or transplanting, which possesses numerous applicational advantages and which limits considerably the impact of the abovementioned drawbacks.

[0005] It has been noted in fact that, in the case of the most widely used granular fertilizer compositions, suitable for local application, in the past exclusively granules with a diameter greater than 2.0 mm were used and it has been surprisingly found that brilliant results may be obtained by preparing new fertilizer formulations in the form of granules with much smaller dimensions, ranging between 0.1 and 1.5 mm, based on the synergic association of a selected organic fraction with an inorganic fraction.

[0006] A particularly suitable organic fraction consists of an organic nitrogenous component able to supply organic nitrogen in a form which can be readily assimilated by the crops. More specifically two highly effective organic nitrogenous components, which can be used individually or in combination, have been defined and selected, the first being an organic nitrogenous substance of natural origin and the second being a slow-release organic nitrogenous substance produced by synthesis.

[0007] Advantageously, in the composition according to the invention, the two organic nitrogenous components are present in predefined ratios, for example 50:50, 25:75 and 75:25.

[0008] It has also been determined that granules with an average diameter of between 0.3 and 1.2 mm, more preferably between 0.5 and 1 mm, are particularly suitable for local application during sowing or transplanting.

[0009] In accordance with an aspect of the present invention, a fertilizer composition in the form of granules for local application during sowing or transplanting of agricultural crops, in which said granules have an average particle size of between 0.1 and 1.5 mm, is provided, said composition comprising an organic nitrogenous substance of natural origin, a slow-release organic nitrogenous substance produced by synthesis and a phosphate or phospho-nitrogen compound.

[0010] In accordance with another aspect of the present invention a fertilizer composition in the form of granules, for local application during sowing or transplanting of agricultural crops, in which said granules have an average particle

size of between 0.1 and 1.5 mm, is provided, said composition comprising an association of an organic nitrogenous component with a humic acid derivative and a phosphate or phospho-nitrogen compound.

[0011] Organic nitrogenous substances of natural origin which are particularly suitable are chosen from the group comprising dried blood, meat meal, hydrolyzed animal epithelium, crustacean chitin, chrysalis meal, horn and hoof meal and wildfowl feathers and mixtures thereof, among these degreased and dried animal blood being preferred.

[0012] Animal blood, degreased and dried, is advantageously produced using the technique of spray drying performed at high temperatures and pressures, but for short durations and with large volumes of air, so as to obtain a product with a nitrogen content higher than 13%, a moisture content of less than 7% and a water solubility greater than 85%.

[0013] Within the scope of the present invention, the term "spray drying" is understood as meaning a technique, the main characteristic feature of which is the surface area per unit of weight generated by atomization of the liquid matrix used. For example, atomizing the droplets to a fineness of 100  $\mu$  produces an exchange surface area of more than 27,000 m<sup>2</sup>/kg. When, on the other hand, the liquid matrix is atomized to a fineness of 20  $\mu$ , the exchange surface area increases to 130,000 m<sup>2</sup>/kg. The size of the dried particles may be controlled by the liquid atomization method and by the type of chamber into which the hot droplets are injected. By proceeding in a suitable manner, it is possible to obtain particles with a particle size and vapour surrounding the individual droplets such that the saturation temperature is not exceeded. Until the particle becomes completely dry, the evaporation continues and the temperature of the solid matter does not approach the exit temperature of the drier. In this way, heat-sensitive products may be easily dried, without damage, in short periods of time (3-5 seconds).

[0014] Advantageously the slow-release organic nitrogenous substance produced by synthesis is a compound based on urea condensed with aldehyde, preferably an aldehyde with 1 to 6 C atoms. In accordance with a preferred embodiment, said aldehyde is formaldehyde.

[0015] The phosphate and phospho-nitrogen compounds of inorganic origin for use in microgranular fertilizers according to the invention may all be compounds containing more or less soluble phosphoric anhydride, such as for example ammonium or potassium phosphates, ammonium polyphosphates, urea/phosphoric acid adducts, superphosphates, ground or partially soluble natural phosphorites, calcium and aluminium phosphate, thermal phosphates or dephosphorylation waste. The phospho-nitrogen compounds of natural origin may be fish meal, bone meal and dried chicken droppings.

[0016] The nitrogenous or phosphate or phospho-nitrogen compounds indicated above may be mixed together in suitable proportions so that the total nitrogen may vary from 1% to 35% by weight and the phosphoric anhydride may vary from 50 to 5% by weight with respect to the total weight of the composition.

[0017] The composition according to the invention may further include one or more potassium salts, including chloride, sulphate, or potassium phosphate salts and also potassium sulphates with magnesium salts and unrefined, optionally enriched potassium salts.

[0018] Advantageously, the composition of the invention comprises further compounds such as oxides, carbonates, sulphates and nitrates of calcium, calcium and magnesium, magnesium or sulphur in various forms of crystallization.

[0019] Further micro-elements optionally contained are zinc, manganese, iron, copper, cobalt and molybdenum oxides, salts, chelates and various organic complexes. Said micro-elements, except for zinc, may be present in the microgranular formulations in the most varied concentration ratios. In the case of zinc, in particular, the useful concentration ranges are those corresponding to Zn levels of  $< 12 > 0$  and  $< 70 > 12$ .

[0020] In accordance with a preferred embodiment, the composition includes one or more plant protection agents such as: insecticides or systemic nematocides (for example chloronicotinyl compounds, such as nitepyram, thiacloprid, TI-435, etc.; carbamates and pro-carbamates, such as: carbofuran, benfuracarb, carbosulfan, furathiocarb; carbamoyloximes, such as aldicarb or oxamyl; phosphoric esters, such as disulfoton, phorate, terbufos, etc.); insecticides or contact nematocides (for example various phosphoric esters, such as parathion, diazinon, chlorpyrifos, tebufos; ethoprophos, phenamifos, cadusafos, fosthiazate, etc.; pyrethroids which are stable in the ground, such as for example tefluthrin; organic chlorinated compounds, such as lindane; pyrazolic compounds, such as fipronil, etc.); systemic fungicides (for example, oxathiins such as carboxin; benzimidazoles or thiophenates; various carboxamides; phenylamides, such as for example: metalaxyl, benalaxyl, etc.; various triazoles and imidazoles; phenylpyrroles such as cyprodinil, etc.; aluminium phosetyl, propamocarb, cimoxanil); contact fungicides (for example dithiocarbamates, such as maneb or mancozeb, phthalimides, such as for example captane, hymexazole, etridazole, etc.) or selective herbicides for suitable crops which may be used during pre-sowing or pre-transplanting with incorporation in the ground.

[0021] Any substances with a biological action may be incorporated in the microgranular fertilizer composition according to the invention, such as, for example, urease inhibitors, nitrification retardants, or various organisms, including rhizobia or azospirilla or thiobacteria.

[0022] In order to complete and aggregate the microgranular fertilizers according to the invention, inert substances or various adjuvants may be added, such as inorganic substances (for example various silicas and silicates, various phosphates and carbonates), various synthetic or organic substances (for example, leonardite, soluble humates and humic acid extracts, cellulose derivatives, lignin or various carbohydrates and polymers of vegetable or synthetic origin).

**[0023]** In particular, the presence of a derivative of humic acid, such as soluble humates and humic acid extracts and/or derivatives of lignin and various polymers of vegetable or synthetic origin, not only have an aggregating action during formulation, but also favour rapid and complete dissolving of the microgranule in the ground, owing to the increase in its wettability and surface activity. From this point of view, the adjuvants mentioned therefore constitute a component which helps improve significantly the physico-chemical characteristics and the agronomical efficiency of the microgranular fertilizers in question.

**[0024]** The microgranular fertilizers of the composition in question may be various mixtures of the active substances mentioned above, which are mixed in various ratios and preferably contain the following group of nutritional substances:

- A: Nitrogen of natural origin or synthetic nitrogen, also with a slow releasing action;
- B: Phosphoric anhydride of inorganic origin or natural organic origin;
- C: Secondary elements (Ca, Mg, S) and micro-elements (Zn, Mn, Fe, Cu, Co, Mo);
- D: All with the addition, if necessary, of potassium manures and/or plant protection agents or substances with a biological action and/or adjuvants or inert substances.

**[0025]** The following mixtures will therefore be possible:

A+B, A+B+C, A+B+D, A+B+C+D.

**[0026]** The compositions according to the present invention provide a specific physico-chemical reaction, in a single fertilizer, uniting in a single formulation different nutritional fractions which produce an agronomic efficiency and an immediate applicational method, owing to the effects which they are able to have on the root system of a young plant. The young plant, in fact, developing its root system in the presence of the composition mentioned above, produces a larger size absorbent capillitium which is able to intercept better and in a more complete manner, with respect to the normal operating conditions, the nutrients applied and those normally present in the ground. This results in a marked starter effect which expresses itself in the form of an increased rate of growth of the young plant which, in these conditions, will also have a greener coloured epigeal apparatus. All this is due to a synergic effect of the two fractions, i.e. the organic fraction and the inorganic fraction, which together, in the ratios provided and owing to the particular particle size of the fertilizer, achieve better results as regards the initial growth of the crops, the seeds or the plants of which have been treated with these innovative fertilizers, in the doses and using the applicational methods suggested, following specific experiments for this purpose conducted in a university environment. The crops so treated clearly benefit from said effect, performing better during the first stage of growth both in the case of sown crops and transplanted crops (starter effect).

**[0027]** In particular, the result is that the microgranular fertilizer compositions of the invention, incorporating in the formulation natural organic nitrogenous substances such as those mentioned, have, as a characterizing aspect of their formulation, proteins (organic nitrogenous component) of animal origin. These proteins and the polypeptides which form them are rich in groups able to form hydrogen bonds, so as to be able to produce structures of the fibrous or globular type. The former, typical of keratin and myosin, are insoluble in water, whereas the latter are soluble in aqueous solutions of acids, bases and salts. More particularly, the polypeptides which form the proteins of the blood, such as the myoglobin (formed by a single polypeptide) and the haemoglobin (consisting, in turn, of four polypeptides, each with 140 aminoacid residues) have a globular structure. The presence, in them, of zones which are rich in polar aminoacids (containing in the radical R -OH, -COOH, -NH<sub>2</sub> and other groups) and other zones distinguished by non-polar aminoacids (where the radical R has aliphatic or aromatic groups), with internal hydrogen bonds and the contact surfaces between the small molecules, is such that these globular polypeptides and their first degradation products have the characteristic of rapidly passing through the biological membranes and therefore of being readily absorbed by the plants and the capacity of complexing or chelating phosphorus and different ions, which are therefore absorbed more rapidly and completely than what occurs when only inorganic fractions are present or synthetic chelates are used.

**[0028]** The very presence of the haemin prosthetic group in the haemoglobin is an example of natural chelation of the iron which is bonded there to the pyrrolic system known as porphyrin.

**[0029]** These same characteristics may be altered if the industrial processes for preparation of the organic matrices in general, and in particular dry blood, tend to modify irreversibly their natural molecular structure. For example, again in the case of dry blood, the prior degreasing and the spray drying technique may reduce to a minimum the alteration of the natural characteristics of capacity for bio-assimilation and complexing of the metals and non-metals.

**[0030]** The microgranular fertilizing compositions of the invention may be applied during sowing or during transplanting of various crops, usually by using special equipment combined with the sowing machines or the transplanting machines, so as to be able to perform, in a single pass, both sowing or transplanting and local application of the microgranules, or local application of the microgranules may be performed manually, in particular for some transplanted crops.

**[0031]** This local application will be performed along the sowing row together with the seed or slightly below or to one side thereof or along the transplanting row and also below the plants or to one side thereof.

[0032] In accordance with a further aspect of the present invention, the use of a composition of the type described above, as a fertilizer for plant and tree crops, including vines, is envisaged. The crops concerned are all plant crops, in particular industrial crops (for example sugar beet, tobacco, sugar cane, cotton, etc.), cereals (for example wheat, barley, maize, millet, rice, etc.), leguminous forage and seed plants (for example bean, runner bean, lucerne, clover, etc.), oil-producing crops (for example soya, rape, sunflower, peanuts, etc.) as well as market gardening plants, ornamental plants and various grass lawns. Vines and tree crops (stone-fruit, pomaceous and all other wood and fruit varieties) are involved during planting of the young plants.

[0033] The application doses may vary between a minimum of 10 kg/ha up to a maximum of 100 kg/ha of localized microgranular fertilizers, depending on the type of crop, the planting arrangements and the agronomic applicational requirements.

[0034] By using these small doses of microgranular fertilizers, there is the possibility of avoiding the drawbacks which are typical of the use of large doses during sowing and transplanting, for example compacting of the ground owing to the excessive weight of the hoppers of the distribution machines and the possible irregular application of granules in the ground, with local accumulations which have a poisonous effect on the plants and with zones which are not manured and therefore less productive.

[0035] Small doses of microgranular fertilizers are moreover less costly and therefore considerable advantages exist from a cost point of view.

[0036] The preparation of the microgranular fertilizers according to the present invention may be obtained for example using first of all mixers of various types in which the components, both in solid powder form and liquid form, are mixed, the latter sprayed, if necessary, in rotating drums to favour a more uniform distribution, followed by microgranulation, with possible final drying, and with sifting and recycling of the microgranules which have a diameter greater or smaller than that required.

[0037] The granulation stage is performed preferably with the aid of additives which facilitate both the actual granulation process and the subsequent dispersion of the microgranule following its agricultural application.

[0038] The examples given below are purely indicative, without limiting in any way the applicational possibilities of the invention.

#### Preparation Example No. 1

[0039] 54.5 kg of ammonium hydrogen phosphate in powder form, 26 kg of degreased blood dried using the method described above, in powder form, and 17.5 kg of zinc oxide in powder form are mixed together in a powder mixer. After mixing, the mixture is introduced into a rotating granulator into which a certain quantity of water is sprayed so as to obtain, after drying and sifting, a microgranular fertilizer which has granules with dimensions of between 0.5 and 1 mm. Any smaller or larger size granules are recycled to a subsequent charge with the same composition.

#### Preparation Example No. 2

[0040] The same procedure as in Example 1 is followed, mixing together 23 kg of dried blood in powder form, degreased and dried using the method indicated above, 10 kg of ammonium hydrogen phosphate in powder form, 24 kg of potassium sulphate, 7 kg of magnesium sulphate, 15 kg of ferrous sulphate in powder form, 1 kg of soluble humates obtained from leonardite, 20 kg of calcium sulphate hydrate. After moistening, drying and sifting, a microgranular fertilizer with granules having dimensions of between 0.5 and 1 mm is obtained.

#### Preparation Example No. 3

[0041] The same procedure as in Example 1 is followed, except that the 26 kg of blood in powder form is replaced by 15 kg of methyleneurea containing 30% slow-releasing nitrogen, 5 kg of ferrous sulphate and 6 kg of potassium sulphate. After moistening, drying and sifting, a microgranular fertilizer with granules having dimensions of between 0.5 and 1 mm is obtained.

#### Application Example No. 1

[0042] Application is performed over 12 fields assigned for the sowing of sugar beet and comprising different types of terrain, where the following are compared: a reference field manured using the conventional technique, with the distribution, during pre-sowing, over the whole field, of 150 kg/ha of  $P_2O_5$  in the form of inorganic superphosphate and various plots manured, during pre-sowing, over the whole area, with 100 kg/ha of  $P_2O_5$  in the form of inorganic superphosphate, dividing up these plots into 3 sub-plots manured, during sowing, respectively with 10, 30 and 60 kg/ha of microgranular fertilizer obtained following the steps indicated in Preparation example 1. This microgranular fertilizer

is distributed during sowing using special sowing machines provided with a granule-spreading hopper so as to apply it locally in the vicinity of the seed, along the sowing row.

[0043] When the beet was harvested, the following mean results obtained in the 12 test fields were obtained:

TONS/HA (OF SACCHAROSE ROOT)	INORGANIC SUPERPHOSPHATE DISTRIBUTED DURING PRE-SOWING OVER WHOLE FIELD (150 KG/HA OF $P_2O_5$ )	INORGANIC SUPERPHOSPHATE DISTRIBUTED DURING PRE-SOWING OVER WHOLE FIELD (100 KG/HA OF $P_2O_5$ ) + SUBSEQUENT DISTRIBUTION OF MICROGRANULAR FERTILIZER ACCORDING TO EXAMPLE 1 LOCALLY APPLIED WITH SEED IN VARIOUS DOSES (KG/HA)		
		10	30	60
MEAN YIELD OF ROOTS	54.4	55.00	57.54	58.60
MEAN YIELD OF SACCHAROSE	8.17	8.20	8.63	8.98

[0044] It may be noted how use of the microgranular fertilizer according to the invention, applied locally during sowing, is able to achieve a level of production which is far greater than that which can be obtained using a conventional granular fertilizer, applied during pre-sowing even with much higher doses of  $P_2O_5$ .

#### Application Example No. 2

[0045] Application is performed in fields assigned for the sowing of maize, using equipment for distributing microgranules mounted on sowing machines, so as to apply locally together also the microgranular fertilizers produced in accordance with the procedure indicated in the Preparation Examples Nos. 1, 2 and 3.

[0046] These microgranular fertilizers are used both in doses of 30 kg/ha and are compared with untreated reference plots in three different fields.

[0047] Upon harvesting, the following results were observed:

	WEIGHT OF SEED IN GRAMMES FOR EVERY 20 MAIZE PLANTS	CORRESPONDING HARVEST (REFERENCE = 100)
MICROGRANULAR FERTILIZER ACCORDING TO EXAMPLE 1 IN DOSES OF 30 KG/HA UNTREATED REFERENCE PLOT	815	154.6
	528	100.0
MICROGRANULAR FERTILIZER ACCORDING TO EXAMPLE 2 IN DOSES OF 30 KG/HA UNTREATED REFERENCE PLOT	893	136.5
	654	100.0
MICROGRANULAR FERTILIZER ACCORDING TO EXAMPLE 3 IN DOSES OF 30 KG/HA UNTREATED REFERENCE PLOT	880	148.9
	591	100.0

[0048] It may be observed how the use of the microgranular fertilizers according to the invention is able to increase substantially the productivity of the crops, also when using small doses of fertilizers.

## Claims

1. Fertilizer composition in the form of granules for local application during sowing or transplanting of agricultural crops, comprising an organic nitrogenous substance of natural origin, a slow-release organic nitrogenous substance produced by synthesis, and a phosphate or phospho-nitrogen compound, in which said granules have a size of between 0.1 and 1.5 mm.
2. Fertilizer composition according to Claim 1, characterized in that said granules have a size of between 0.5 and 1 mm.
3. Composition according to Claim 1 or 2, characterized in that said organic nitrogenous substance is degreased and dried animal blood.
4. Fertilizer composition according to any one of Claims 1 to 3, characterized in that said slow-release organic nitrogenous substance produced by synthesis is a product of condensation of urea with an aldehyde.
5. Composition according to Claim 4, characterized in that said aldehyde is formaldehyde.
6. Fertilizer composition according to Claim 3, characterized in that said degreased animal blood contains at least 13% nitrogen, not more than 7% water and has a water solubility of at least 85%.
7. Fertilizer composition according to any one of Claims 1 to 6, characterized in that it further comprises an organic nitrogenous substance of natural origin chosen from the group consisting of meat meal, hydrolyzed animal epithelium, chrysalis meal, crustacean chitin, horn and hoof meal, wildfowl feathers and mixtures thereof.
8. Fertilizer composition according to any one of Claims 1 to 7, characterized in that said phosphate or phospho-nitrogen compounds are inorganic compounds chosen from the group consisting of ammonium phosphates, potassium phosphates, ammonium polyphosphates, urea/phosphoric acid adducts, superphosphates, natural phosphorites, calcium and aluminium phosphate, thermal phosphates, dephosphorylation waste and mixtures thereof.
9. Fertilizer composition according to any one of Claims 1 to 7, characterized in that said phospho-nitrogenous compounds are compounds of natural organic origin chosen from the group consisting of fish meal, bone meal, dried chicken droppings and mixtures thereof.
10. Fertilizer composition according to any one of Claims 1 to 9, characterized in that it further comprises a plant protection agent.
11. Fertilizer composition according to any one of Claims 1 to 10, characterized in that it further comprises microorganisms.
12. Fertilizer composition according to Claim 11, characterized in that said organisms are rhizobia, azospirilla, thiobacteria and mixtures thereof.
13. Fertilizer composition according to any one of Claims 1 to 12, characterized in that it further comprises a derivative of humic acid.
14. Fertilizer composition in the form of granules for local application during sowing or transplanting of agricultural crops, characterized in that it comprises the association of an organic nitrogenous component with a humic acid derivative and a phosphate or phospho-nitrogen compound, in which said granules have a size of between 0.1 and 1.5 mm.
15. Fertilizer composition according to Claim 14, characterized in that said organic nitrogenous substance is degreased and dried animal blood.
16. Fertilizer composition according to Claim 14, characterized in that said organic nitrogenous substance is a product of condensation of urea with an aldehyde.
17. Composition according to Claim 16, characterized in that said aldehyde is formaldehyde.

**EP 0 968 980 A2**

18. Fertilizer composition according to Claim 15, characterized in that said degreased animal blood contains at least 13% nitrogen and no more than 7% water and has a water solubility of at least 85%.

19. Use of a composition according to any one of Claims 1 to 18 for local application during sowing or transplanting of plant and tree crops.

5

10

15

20

25

30

35


40

45

50

55





(19)

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

**EP 0 968 980 A3**

(12)

**EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:

**15.11.2000 Bulletin 2000/46**

(43) Date of publication A2:

**05.01.2000 Bulletin 2000/01**

(21) Application number: **99112549.3**

(22) Date of filing: **01.07.1999**

(51) Int. Cl.<sup>7</sup>: **C05C 9/02**, C05B 15/00,

C05F 1/00, C05G 3/08,

C05G 3/02, C05F 11/00,

C05F 11/08

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**

**MC NL PT SE**

Designated Extension States:

**AL LT LV MK RO SI**

(72) Inventors:

• **Miele, Sergio**

**56123 Pisa (IT)**

• **Bargiacchi, Enrica**

**56124 Pisa (IT)**

(30) Priority: **02.07.1998 IT MI981521**

(71) Applicant: **Agroqualita S.r.l.**

**20123 Milano (IT)**

(74) Representative:

**Gislon, Gabriele et al**

**Marietti e Gislon S.r.l.**

**Via Larga, 16**

**20122 Milano (IT)**

(54) **Microgranular fertiliser composition for local application during sowing or transplanting**

(57) Fertilizer composition in granule form for local application during sowing or transplanting, of the type comprising organic nitrogen and phosphate or phospho-nitrogen compounds as well as, if necessary, other fertilizer compounds or adjuvants, in which the diameter of the granules is between 0.1 and 1.5 mm.

Preferably, in said composition, the diameter of the granules is between 0.5 and 1 mm.

**EP 0 968 980 A3**



European Patent  
Office

# PARTIAL EUROPEAN SEARCH REPORT

Application Number

which under Rule 45 of the European Patent Convention EP 99 11 2549 shall be considered, for the purposes of subsequent proceedings, as the European search report

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	US 4 832 728 A (ALLAN G GRAHAM ET AL) 23 May 1989 (1989-05-23) * claims * * column 7, line 5 - column 8, line 30 * * column 10, line 4 - line 10 *	1,2,4,5, 7,8,19	C05C9/02 C05B15/00 C05F1/00 C05G3/08 C05G3/02 C05F11/00 C05F11/08
A			
X	DATABASE WPI Section Ch, Week 9503 Derwent Publications Ltd., London, GB; Class C04, AN 95-019107 XP002095228 & JP 06 305870 A (ISHIDA T), 1 November 1994 (1994-11-01) * abstract *	1-3,7,9	
X	DATABASE WPI Section Ch, Week 9727 Derwent Publications Ltd., London, GB; Class C04, AN 97-294755 XP002095229 & JP 09 110564 A (URABE SANGYO KK), 28 April 1997 (1997-04-28) * abstract *	1,7,13	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			C05C C05B C05F C05G
INCOMPLETE SEARCH			
<p>The Search Division considers that the present application, or one or more of its claims, does/do not comply with the EPC to such an extent that a meaningful search into the state of the art cannot be carried out, or can only be carried out partially, for these claims.</p> <p>Claims searched completely :</p> <p>Claims searched incompletely :</p> <p>Claims not searched :</p> <p>Reason for the limitation of the search:</p> <p>see sheet C</p>			
Place of search		Date of completion of the search	Examiner
THE HAGUE		11 September 2000	RODRIGUEZ FONTAO, M
CATEGORY OF CITED DOCUMENTS			
<p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons</p> <p>&amp; : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03/02 (P04/07)



European Patent  
Office

# PARTIAL EUROPEAN SEARCH REPORT

Application Number  
EP 99 11 2549

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int. CL.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
X	US 5 021 247 A (MOORE WILLIAM P) 4 June 1991 (1991-06-04) * claims * * column 3, line 26 - column 13, line 56 *	1,4-9,19	
X	EP 0 010 638 A (BAYER AG) 14 May 1980 (1980-05-14) * claims * * examples *	1,4,5,19	
A	FR 2 493 305 A (YAHYAZADEH KHADJEH) 7 May 1982 (1982-05-07) * the whole document *	1-19	
A	DATABASE WPI Section Ch, Week 9425 Derwent Publications Ltd., London, GB; Class C04, AN 94-206268 XP002095230 & JP 06 144974 A (SHOWA HIRYO KK), 24 May 1994 (1994-05-24) * abstract *	1-19	TECHNICAL FIELDS SEARCHED (Int. CL.7)
A	EP 0 839 780 A (LAVIEDOR ; LHOIST RECH ET DEV (BE)) 6 May 1998 (1998-05-06) * the whole document *	1-19	
A	FR 2 729 825 A (RHONE POULENC AGROCHIMIE) 2 August 1996 (1996-08-02) * claims *	1,17,18	
	-/-		

EPO FORM 1803 03.82 (P04C10)



European Patent  
Office

## PARTIAL EUROPEAN SEARCH REPORT

Application Number  
EP 99 11 2549

DOCUMENTS CONSIDERED TO BE RELEVANT			CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
X	DATABASE WPI Section Ch, Week 198403 Derwent Publications Ltd., London, GB; Class C03, AN 1984-014899 XP002147120 & JP 58 208191 A (KYORITSU YUKI KOGYO KENKYUSHO), 3 December 1983 (1983-12-03) * abstract *	14,15	
X	US 4 571 256 A (TAKAGI SHIGEKI ET AL) 18 February 1986 (1986-02-18) * claims * * column 2, line 17 - column 3, line 6 *	14,16, 17,19	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)

EPO FORM 1503 03.82 (P04C10)



European Patent  
Office

Application Number

EP 99 11 2549

**CLAIMS INCURRING FEES**

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

**LACK OF UNITY OF INVENTION**

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☒ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent  
Office

**LACK OF UNITY OF INVENTION  
SHEET B**

Application Number  
**EP 99 11 2549**

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

**1. Claims: 1-13, 19part**

Fertilizer comprising an organic nitrogenous substance of natural origin, a slow release organic nitrogenous substance produced by synthesis and a phosphate or phospho-nitrogen compound in the form of granules of size between 0.1 to 1.5 mm.

**2. Claims: 14-18, 19part**

Fertilizer comprising an organic nitrogenous component, an humic acid derivative and a phosphate of phospho-nitrogen compound.



European Patent  
Office

INCOMPLETE SEARCH  
SHEET C

Application Number  
EP 99 11 2549

Claim(s) searched completely:  
2-13, 19

Claim(s) searched incompletely:  
1

Reason for the limitation of the search:

Present claim 1 relate to an extremely large number of possible products that fall under the definition of "organic nitrogenous substance of natural origin", slow release organic nitrogenous substance" and "phosphate or phosphonitrogen compound".

Support within the meaning of Article 84 EPC is to be found, however, for only a very small proportion of the products claimed. In the present case, claim 1 so lack support, that a meaningful search over the whole of its claimed scope is impossible. Consequently, the search has been carried out for those parts of the claims which appear to be supported and disclosed, namely those parts relating to the products referred to in claims 3 to 13 and in the description page 3, line 27 to page 5, line 5.

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 11 2549

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

11-09-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4832728 A	23-05-1989	US 4560400 A	24-12-1985
		AT 380469 B	26-05-1986
		AT 357382 A	15-10-1985
		AU 534003 B	22-12-1983
		AU 8868482 A	31-03-1983
		BE 894470 A	17-01-1983
		BR 8205602 A	30-08-1983
		CA 1188124 A	04-06-1985
		CH 657119 A	15-08-1986
		CS 8206855 A	15-03-1988
		DD 212505 A	15-08-1984
		DE 3235523 A	14-04-1983
		DK 424682 A,B,	26-03-1983
		ES 515876 D	16-09-1983
		ES 8308526 A	01-12-1983
		ES 522033 D	01-12-1984
		ES 8501727 A	01-03-1985
		FI 823273 A,B,	26-03-1983
		FR 2513542 A	01-04-1983
		GB 2112765 A,B	27-07-1983
		GR 77675 A	25-09-1984
		HU 194794 B	28-03-1988
		IE 53417 B	09-11-1988
		IN 158473 A	22-11-1986
		IT 1157319 B	11-02-1987
		KR 8600726 B	14-06-1986
		MX 160111 A	30-11-1989
		NL 8203699 A,B,	18-04-1983
		PL 238341 A	23-05-1983
		PT 75610 A,B	01-10-1982
		RO 85788 A	25-11-1984
		SE 448722 B	16-03-1987
		SE 8205454 A	23-09-1982
		YU 212182 A	31-10-1985
		ZA 8206609 A	27-07-1983
JP 6305870 A	01-11-1994	NONE	
JP 9110564 A	28-04-1997	NONE	
US 5021247 A	04-06-1991	US 5021077 A	04-06-1991
		AU 626510 B	30-07-1992
		AU 6922291 A	11-07-1991
		CA 2033689 A	11-07-1991
		EP 0440339 A	07-08-1991
		JP 6100388 A	12-04-1994

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82



**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 99 11 2549

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

11-09-2000

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5021247 A		US 4997469 A	05-03-1991
EP 0010638 A	14-05-1980	BR 7906569 A	22-07-1980
		DE 2962210 D	25-03-1982
		DK 432679 A	14-04-1980
		IL 58432 A	31-08-1982
		JP 55053209 A	18-04-1980
FR 2493305 A	07-05-1982	DE 3135240 A	22-07-1982
JP 6144974 A	24-05-1994	JP 2012810 C	02-02-1996
		JP 7029867 B	05-04-1995
EP 0839780 A	06-05-1998	NONE	
FR 2729825 A	02-08-1996	FR 2729824 A	02-08-1996
		AT 191612 T	15-04-2000
		AU 712368 B	04-11-1999
		AU 4626996 A	21-08-1996
		BR 9607096 A	11-11-1997
		CA 2211105 A	08-08-1996
		CZ 9702410 A	12-11-1997
		DE 69607743 D	18-05-2000
		DE 69607743 T	07-09-2000
		EP 0806895 A	19-11-1997
		ES 2144724 T	16-06-2000
		WO 9623411 A	08-08-1996
		HU 9801279 A	28-08-1998
		JP 10513169 T	15-12-1998
		PL 321566 A	08-12-1997
		SK 103297 A	10-12-1997
		US 6077860 A	20-06-2000
		US 5952358 A	14-09-1999
		ZA 9600692 A	19-08-1996
JP 58208191 A	03-12-1983	NONE	
US 4571256 A	18-02-1986	JP 58090504 A	30-05-1983

EPO FORM P4489

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82